PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	PPPP	AAAA \AAAA	AAA	\$	RRRRRRRRRRRR RRRRRRRRRRRR RRRRRRRRRRRR		LLL LLL LLL
PPP	PPP	AAA	AAA	SSS	RRR RRR	ŤŤŤ	iii
PPP	PPP	AAA	AAA	ŠŠŠ	RRR RRR	ŤŤŤ	ΙΙΙ
PPP	PPP	AAA	AAA	SSS	RRR RRR	ŤŤŤ	iii
PPP	PPP	AAA	AAA	SSS	RRR RRR	ŤŤŤ	בונו – ביו היו היו היו היו היו היו היו היו היו ה
PPP	PPP	AAA	AAA	SSS	RRR RRR	ŤŤŤ	<u>ו</u> וו
PPP	PPP	AAA	AAA	ŠŠŠ	RRR RRR	ŤŤŤ	īīī
	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP		AAA	SSSSSSSS	RRRRRRRRRRR	ŤŤŤ	iii
PPPPPPPP	PPPP	AAA	AAA	\$\$\$\$\$\$\$\$\$	RRRRRRRRRRR	ŤŤŤ	iii
PPPPPPPP	PPPP	AAA	AAA	SSSSSSSS	RRRRRRRRRRR	ŤŤŤ	ίίί
PPP		AAAAAAA		SSS	RRR RRR	TTT	LLL
PPP		AAAAAAAA	AAAAAA	ŠŠŠ	RRR RRR	TTT	ίίί
PPP		AAAAAAAA	AAAAAA	ŠŠŠ	RRR RRR	TTT	ΙΙΙ
PPP		AAA	AAA	SSS	RRR RRR	TTT	LLL
PPP		AAA	AAA	SSS	RRR RRR	TTT	LLL
PPP		AAA	AAA	\$\$\$	RRR RRR	TTT	LLL
PPP		AAA	AAA	SSSSSSSSSS	RRR RRR	TTT	LLLLLLLLLLLLLL
PPP		AAA	AAA	SSSSSSSSSS	RRR RRR	TTT	LLLLLLLLLLLLLL
PPP		AAA	AAA	\$\$\$\$\$\$\$\$\$\$\$\$\$\$	RRR RRR	TTT	LLLLLLLLLLLLLLL

Sym

\_\$2

PAS

PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	\$	TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	MM MM MMMM MMMM MMMM MMMM MM MM MM MM MM	• • • •
LL LL LL LL LL LL LL LL LL LL LL LL		\$			

PAS\$TIME Table of contents - Return system time (<u>2</u>) (<u>3</u>) DECLARATIONS
PASSTIME - Return system time 46 75

16-SEP-1984 01:27:17 VAX/VMS Macro V04-00

Page 0

; R

PAS 1-0

ŎŎŎŎ

10 :\*

16 :\* 17 :\*

18 \*

20 :\*

21 :\*

24 \*

Page 1 (1)

.TITLE PAS\$TIME - Return system time
.IDENT /1-001/ ; File: PASTIME.MAR Edit: SBL1001

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

; FACILITY: Pascal Language Support

ABSTRACT:

This module contains PAS\$TIME which returns the current system time as an 11-character string by reference.

ENVIRONMENT: Runs at any access mode, AST Reentrant

AUTHOR: Steven B. Lionel, CREATION DATE: 6-Nov-1980

MODIFIED BY:

1-001 - Original. SBL 6-Nov-1980

SRELLMO

0000

```
16-SEP-1984 01:27:17 VAX/VMS Macro V04-00 
6-SEP-1984 11:33:48 [PASRTL.SRC]PASTIME.MAR;1
- Return system time DECLARATIONS
                                                                                                                        Page
      0000
                 4678901
                                .SBTTL DECLARATIONS
                     : LIBRARY MACRO CALLS:
       ŎŎŎŎ
      ŎŎŎŎ
                 NONE
S1:
EXTERNAL DECLARATIONS:
S3:
DSABL GBL
      ŎŎŎŎ
      ŎŎŎŎ
      ŎŎŎŎ
      0000
      ŎŎŎŎ
                               .DSABL GBL
.EXTRN SYS$ASCTIM
                                                               ; Force all external symbols to be declared ; Convert binary time to ASCII string
      ŎŎŎŎ
                 56 57 58 59
      0000
      ŎŎŎŎ
                       MACROS:
      ŎŎŎŎ
      0000
                NONE
      0000
      0000
      0000
      0000
      0000
      0000
      0000
      0000
      0000
      0000
      0000
 0000000
                               .PSECT _PAS$CODE PIC, USR, CON, REL, LCL, SHR, - EXE, RD, NOWRT, LONG
                 72
73
      0000
```

\*\*

(2)

PAS\$TIME - Return system time

76 77

79

88

89

90

91

92

93

94

**9**5

96

9Ž

98

99

100

101 102

103 104:

107

108

109

110

111

112

113

114

115

116

117

118

119

105:

106 ;--

0000 ŎŎŎŎ

0000

0000

0000

0000 0000

0000 0000

0000 0000

0000

0000

0000

0000

0000

0000

0000

0000

0000

0000

0000

0000

0000

0000

0000

0000 0000

0000

0000 0000

0000

0000

0002

0002

0005

0007

0009

000B

000E

0010

0017

0018

0018

0000

DD

DD

D4 7F

**D4** 

FB

0B 01

ŽE.

AD 7E

F8

0000000°GF

```
VAX/VMS Macro V04-00
                                                                          3 (3)
                                       [PASRTL.SRC]PASTIME.MAR:1
.SBTTL PAS$TIME - Return system time
This routine returns the current system time as hh:mm:ss.cc into
an 11 character string passed by reference
CALL PASSTIME (Time_string.wt.r)
```

FORMAL PARAMETERS:

CALLING SEQUENCE:

FUNCTIONAL DESCRIPTION:

B 5

- 11-character string by reference Time\_string

IMPLICIT INPUTS:

NONE

IMPLICIT OUTPUTS:

NONE

ROUTINE VALUE:

NONE

SIDE EFFECTS:

NONE

.END

.ENTRY PASSTIME, ^M<> ; Entry point 4(AP) PUSHL ; Address of string #11 PUSHL Length of string #1 CVTFLG = 1 = Return time PUSHL CLRL -(SP)No TIMADR PUSHAQ Address of TIMBUF descriptor -8(FP)CLRL -(SP) No returned TIMLEN CALLS #4, G^SYS\$ASCTIM Get time RET : Return

: End of module PAS\$TIME

- Return system time

16-SEP-1984 01:27:17 VAX/VMS Macro V04-00 6-SEP-1984 11:33:48 [PASRTL.SRC]PASTIME.MAR;1

Page (<del>3</del>)

PASSTIME. SYS\$ASCTIM 00000000 RG ŎÓ

Psect synopsis!

PSECT name Allocation PSECT No. Attributes 00000000 00 ( 0.) NOPIC USR PASSCODE 00000018 01 ( 1.) 24.) PIC USR

LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE CON ABS REL CON SHR EXE RD NOWRT NOVEC LONG

## Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	10	00:00:00.11	00:00:01.70
Command processing	73	00:00:00.65	00:00:04.66
Pass 1	64	00:00:00.37	00:00:01.54
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	36	00:00:00.25	00:00:01.61
Symbol table output	Ž	00:00:00.01	00:00:00.01
Psect synopsis output	1	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	188	00:00:01.41	00:00:09.54

The working set limit was 750 pages.
1145 bytes (3 pages) of virtual memory were used to buffer the intermediate code.
There were 10 pages of symbol table space allocated to hold 2 non-local and 0 local symbols. 119 source lines were read in Pass 1, producing 11 object records in Pass 2.

O pages of virtual memory were used to define 0 macros.

Macro library statistics !

Macro library name

Macros defined

\$255\$DUA28:[SYSLIB]STARLET.MLB:2

0

O GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL, TRACEBACK)/LIS=LIS\$:PASTIME/OBJ=OBJ\$:PASTIME MSRC\$:PASTIME/UPDATE=(ENH\$:PASTIME)

0297 AH-BT13A-SE

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

